


CONCRETE ROAD CUSHION
DETAIL AT BATTERY PARK




SAW CUT SEAL AND REMOVE 14.0mm DEPTH OF PAVEMENT. INSTALL TWO 200MM THICK 2.0M X 1.9M PRECAST CONCRETE ROAD CUSHIONS ON A 15mm MORTAR BED OF MEGAPOXY H (OR EQUIVALENT) AND SAND. TOP MOST SURFACE OF CUSHION TO FINISH 75MM ABOVE ROAD PAVEMENT SURFACE. SEE DETAIL SHEET C01. PAVEMENT MARKING TO BE IN ACCORDANCE WITH AUSTRALIAN STANDARD AS1742-13 (1999)


NOTE:
LOCATION OF SERVICES TO BE CONFIRMED
PRIOR TO COMMENCEMENT OF CONSTRUCTION
CONTACT "DIAL BEFORE YOU DIG" Phone 1100

SAW CUT SEAL AND REMOVE 14.0mm DEPTH OF PAVEMENT. INSTALL TWO 200MM THICK 2.0M X 1.9M PRECAST CONCRETE ROAD CUSHIONS ON A 15mm MORTAR BED OF MEGAPOXY H (OR EQUIVALENT) AND SAND. TOP MOST SURFACE OF CUSHION TO FINISH 75MM ABOVE ROAD PAVEMENT SURFACE. SEE DETAIL SHEET C01. PAVEMENT MARKING TO BE IN ACCORDANCE WITH AUSTRALIAN STANDARD AS1742-13 (1999)

- SIGN AND MARKING NOTES**
1. ALL ROAD SIDE SIGNS TO COMPLY WITH AS1743-2001 AND/OR RTA TECHNICAL MANUAL TDT 2001/02 & RTA/Pub 01.03B Version 1.1
 2. ALL NEW POSTS BE INSTALLED IN GALVANIZED METAL POST SOCKETS SET FLUSH WITH FINAL FOOTPATH LEVELS
 3. ALL ROAD LINE MARKING TO COMPLY WITH RTA NSW GUIDELINES



CONCRETE ROAD CUSHION
DETAIL NEAR BOURKE ST



W3-4 WARNING SIGNS TO BE PLACED 50M FROM CUSHIONS ON NORTHERN APPROACHES.

SAW CUT SEAL AND REMOVE 14.0mm DEPTH OF PAVEMENT. INSTALL TWO 200MM THICK 2.0M X 1.9M PRECAST CONCRETE ROAD CUSHIONS ON A 15mm MORTAR BED OF MEGAPOXY H (OR EQUIVALENT) AND SAND. TOP MOST SURFACE OF CUSHION TO FINISH 75MM ABOVE ROAD PAVEMENT SURFACE. SEE DETAIL SHEET C01. PAVEMENT MARKING TO BE IN ACCORDANCE WITH AUSTRALIAN STANDARD AS1742-13 (1999)

SAW CUT SEAL AND REMOVE 14.0mm DEPTH OF PAVEMENT. INSTALL TWO 200MM THICK 2.0M X 1.9M PRECAST CONCRETE ROAD CUSHIONS ON A 15mm MORTAR BED OF MEGAPOXY H (OR EQUIVALENT) AND SAND. TOP MOST SURFACE OF CUSHION TO FINISH 75MM ABOVE ROAD PAVEMENT SURFACE. SEE DETAIL SHEET C01. PAVEMENT MARKING TO BE IN ACCORDANCE WITH AUSTRALIAN STANDARD AS1742-13 (1999)

ARBORIST TO BE ON SITE WHEN EXCAVATING WITHIN 6M OF NORFOLK ISLAND PINE..

PRELIMINARY ONLY NOT FOR CONSTRUCTION

ISSUE	DESCRIPTION	DRAWN	APPR'D	DATE
1	ISSUED FOR DISCUSSION	G.B.W.	E.M.S.	10/09

DATUM	SURVEYOR	DRAWN	DATE
AHD	B Hogan	G.Warton	10/09
AZIMUTH	FIELD BOOK	DESIGNED	DATE
MGA		G.Warton	10/09
CHECKED	DATE	DATE	
J.Valic	10/09		

APPROVED (FOR COUNCIL USE ONLY)	
CIVIL DESIGN MANAGER	DESIGN & TECHNICAL SERVICES MANAGER
DATE	

SCALES
1:250

NORTH POINT

CITY OF WOLLONGONG
CLIFF ROAD - WOLLONGONG
TRAFFIC AND PEDESTRIAN FACILITIES
CONCRETE ROAD CUSHIONS
LAYOUT AND DETAILS

wollongong
city of innovation
DESIGN & TECHNICAL SERVICES
Ph 02 42277111

DESIGN PCS No.	DES16729	A1
FILE NUMBER		ORIGINAL
SHEET 2 OF 4 SHEETS		ISSUE
DRAWING No. 4580	SHEET No. C02	1

