

CERTIFICATE OF ANALYSIS

Work Order	: EW1510019	Page	: 1 of 4
Client	: WOLLONGONG CITY COUNCIL	Laboratory	: Environmental Division NSW South Coast
Contact	: MR WAYDE PETERSON	Contact	: Glenn Davies
Address	: 41 BURELLI STREET WOLLONGONG NSW, AUSTRALIA 2500	Address	: 99 Kenny Street, Wollongong 2500 Unit 4 / 13 Geary Place, PO Box 3105, North Nowra 2541 AUSTRALIA
E-mail	: wpeterson@wollongong.nsw.gov.au	E-mail	: glenn.davies@alsglobal.com
Telephone	: +61 02 4227 7111	Telephone	: 02 42253125
Facsimile	: +61 02 4227 7277	Facsimile	: W 02 42253128 N 02 44232083
Project	: Whytes Gully Storm Water Overflow	QC Level	: NEPM 2013 Schedule B(3) and ALS QCS3 requirement
Order number	: 3032573	Date Samples Received	: 21-Apr-2015 14:58
C-O-C number	: ----	Date Analysis Commenced	: 21-Apr-2015
Sampler	: Matthew Sly	Issue Date	: 29-Apr-2015 08:49
Site	: ----		
Quote number	: ----	No. of samples received	: 3
		No. of samples analysed	: 3

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results



NATA Accredited Laboratory 825

Accredited for compliance with
ISO/IEC 17025.

Signatories

This document has been electronically signed by the authorized signatories indicated below. Electronic signing has been carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Ankit Joshi	Inorganic Chemist	Sydney Inorganics
Ashesh Patel	Inorganic Chemist	Sydney Inorganics
Glenn Davies	Environmental Services Representative	Laboratory - Wollongong
Shobhna Chandra	Metals Coordinator	Sydney Inorganics



General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

∅ = ALS is not NATA accredited for these tests.

- Sampling and sample data supplied by ALS Wollongong.
- Sampling completed as per FWI-EN002 Surface Water Sampling.
- Field tests completed on day of sampling/receipt.



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	Point 1 (Point 1)	Point 4 (Point 33)	Point 6 (Point 34)	----	----
Client sampling date / time				21-Apr-2015 14:15	21-Apr-2015 13:55	21-Apr-2015 14:35	----	----	
Compound	CAS Number	LOR	Unit	EW1510019-001	EW1510019-002	EW1510019-003	-----	-----	
				Result	Result	Result	Result	Result	
EA005FD: Field pH									
pH	----	0.1	pH Unit	8.0	7.3	7.4	----	----	
EA010FD: Field Conductivity									
Electrical Conductivity (Non Compensated)	----	1	µS/cm	504	278	245	----	----	
EA025: Suspended Solids									
[^] Suspended Solids (SS)	----	5	mg/L	91	13	24	----	----	
EA116: Temperature									
Temperature	----	0.1	°C	14.9	15.4	14.6	----	----	
ED037P: Alkalinity by PC Titrator									
Hydroxide Alkalinity as CaCO ₃	DMO-210-001	1	mg/L	<1	<1	<1	----	----	
Carbonate Alkalinity as CaCO ₃	3812-32-6	1	mg/L	<1	<1	<1	----	----	
Bicarbonate Alkalinity as CaCO ₃	71-52-3	1	mg/L	162	70	60	----	----	
Total Alkalinity as CaCO ₃	----	1	mg/L	162	70	60	----	----	
ED041G: Sulfate (Turbidimetric) as SO₄ 2- by DA									
Sulfate as SO ₄ - Turbidimetric	14808-79-8	1	mg/L	24	16	15	----	----	
ED045G: Chloride by Discrete Analyser									
Chloride	16887-00-6	1	mg/L	50	35	34	----	----	
ED093T: Total Major Cations									
Calcium	7440-70-2	1	mg/L	31	18	16	----	----	
Magnesium	7439-95-4	1	mg/L	14	8	8	----	----	
Sodium	7440-23-5	1	mg/L	54	27	22	----	----	
Potassium	7440-09-7	1	mg/L	10	4	3	----	----	
EG020F: Dissolved Metals by ICP-MS									
Iron	7439-89-6	0.05	mg/L	0.18	0.30	0.26	----	----	
EK040P: Fluoride by PC Titrator									
Fluoride	16984-48-8	0.1	mg/L	0.4	0.5	0.1	----	----	
EK055G: Ammonia as N by Discrete Analyser									
Ammonia as N	7664-41-7	0.01	mg/L	0.44	0.06	0.02	----	----	
EK057G: Nitrite as N by Discrete Analyser									
Nitrite as N	----	0.01	mg/L	0.38	0.05	<0.01	----	----	
EK058G: Nitrate as N by Discrete Analyser									
[^] Nitrate as N	14797-55-8	0.01	mg/L	1.46	0.61	0.37	----	----	
EK059G: Nitrite plus Nitrate as N (NO_x) by Discrete Analyser									



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	Point 1 (Point 1)	Point 4 (Point 33)	Point 6 (Point 34)	----	----
Client sampling date / time					21-Apr-2015 14:15	21-Apr-2015 13:55	21-Apr-2015 14:35	----	----
Compound	CAS Number	LOR	Unit		EW1510019-001	EW1510019-002	EW1510019-003	-----	-----
				Result	Result	Result	Result	Result	Result
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser - Continued									
Nitrite + Nitrate as N	----	0.01	mg/L		1.84	0.66	0.37	----	----
EP005: Total Organic Carbon (TOC)									
Total Organic Carbon	----	1	mg/L		10	7	6	----	----
EP025FD: Field Dissolved Oxygen									
Dissolved Oxygen	----	0.01	mg/L		8.69	8.98	9.96	----	----
EP035G: Total Phenol by Discrete Analyser									
Phenols (Total)	----	0.05	mg/L		<0.05	<0.05	<0.05	----	----