

CERTIFICATE OF ANALYSIS

Work Order	: EW1602181	Page	: 1 of 4	
Client	: WOLLONGONG CITY COUNCIL	Laboratory	Environmental Division NSW South Coast	
Contact	: MR WAYDE PETERSON	Contact	: Glenn Davies	
Address	: 41 BURELLI STREET	Address	: 1/19 Ralph Black Dr, North Wollongong 2500	
	WOLLONGONG NSW, AUSTRALIA 2500		4/13 Geary PI, North Nowra 2541	
			Australia	
Telephone	: +61 02 4227 7111	Telephone	: 02 42253125	
Project	: Whytes Gully Storm Water Overflow	Date Samples Received	: 07-Jun-2016 16:50	
Order number	: 3044522	Date Analysis Commenced	: 08-Jun-2016	
C-O-C number	:	Issue Date	: 14-Jun-2016 16:34	
Sampler	: Robert DaLio			NATA
Site	:			
Quote number	:		NATA Accredited Laboratory 825	
No. of samples received	: 3		Accredited for compliance with	WORLD RECOGNISED
No. of samples analysed	: 3		ISO/IEC 17025.	ACCREDITATION

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Celine Conceicao Dian Dao	Senior Spectroscopist	Sydney Inorganics, Smithfield, NSW Sydney Inorganics, Smithfield, NSW
Kristy Boje	Laboratory Supervisor	Laboratory - Wollongong



General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

* = This result is computed from individual analyte detections at or above the level of reporting

ø = ALS is not NATA accredited for these tests.

~ = Indicates an estimated value.

- EG020: Unable to confirm spike results for ES1612300 #002 due to insufficient sample
- Sampling completed as per FWI-EN002 Surface Water Sampling.
- Field data supplied by ALS Wollongong.
- Field tests completed on day of sampling/receipt.

Page : 3 of 4 Work Order : EW1602181 Client : WOLLONGONG CITY COUNCIL Project : Whytes Gully Storm Water Overflow



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)			ent sample ID	Point 1 (Point 1)	Point 4 (Point 33)	Point 6 (Point 34)	
	Client sampling date / time			07-Jun-2016 15:00	07-Jun-2016 14:30	07-Jun-2016 14:45	
Compound	CAS Number	LOR	Unit	EW1602181-001	EW1602181-002	EW1602181-003	
				Result	Result	Result	
EA005FD: Field pH							
рН		0.1	pH Unit	7.7	7.5	7.7	
EA010FD: Field Conductivity							
Electrical Conductivity (Non		1	µS/cm	367	265	249	
Compensated)							
EA025: Suspended Solids							
Suspended Solids (SS)		5	mg/L	78	19	8	
EA116: Temperature							
Temperature		0.1	°C	15.2	14.0	14.8	
ED037P: Alkalinity by PC Titrator							
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	<1	<1	
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	<1	<1	
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	103	63	59	
Total Alkalinity as CaCO3		1	mg/L	103	63	59	
ED041G: Sulfate (Turbidimetric) as SO	4 2- by DA						
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	41	16	16	
ED045G: Chloride by Discrete Analyse							
Chloride	16887-00-6	1	mg/L	33	32	31	
ED093T: Total Major Cations							
Calcium	7440-70-2	1	mg/L	20	16	18	
Magnesium	7439-95-4	1	mg/L	10	7	8	
Sodium	7440-23-5	1	mg/L	34	23	20	
Potassium	7440-09-7	1	mg/L	7	3	2	
	7440-03-7	·	iiig/L			_	
EG020F: Dissolved Metals by ICP-MS Iron	7400.00.0	0.05	mg/L	0.16	0.16	0.17	
	7439-89-6	0.05	iiig/L	0.10	0.10	0.17	
EK040P: Fluoride by PC Titrator		0.1	ma ^{//}		-0.1	-0.1	
Fluoride	16984-48-8	0.1	mg/L	0.2	<0.1	<0.1	
EK055G: Ammonia as N by Discrete A							
Ammonia as N	7664-41-7	0.01	mg/L	1.30	0.20	<0.01	
EK057G: Nitrite as N by Discrete Anal	yser						
Nitrite as N	14797-65-0	0.01	mg/L	0.34	0.06	<0.01	
EK058G: Nitrate as N by Discrete Ana	lyser						
Nitrate as N	14797-55-8	0.01	mg/L	1.07	0.70	0.46	
EK059G: Nitrite plus Nitrate as N (NO)							

Page	: 4 of 4
Work Order	: EW1602181
Client	: WOLLONGONG CITY COUNCIL
Project	: Whytes Gully Storm Water Overflow



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)		Clie	ent sample ID	Point 1 (Point 1)	Point 4 (Point 33)	Point 6 (Point 34)		
	Client sampling date / time			07-Jun-2016 15:00	07-Jun-2016 14:30	07-Jun-2016 14:45		
Compound	CAS Number	LOR	Unit	EW1602181-001	EW1602181-002	EW1602181-003		
				Result	Result	Result		
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser - Continued								
Nitrite + Nitrate as N		0.01	mg/L	1.41	0.76	0.46		
EP005: Total Organic Carbon (TOC)								
Total Organic Carbon		1	mg/L	16	7	6		
EP025FD: Field Dissolved Oxygen								
Dissolved Oxygen		0.01	mg/L	7.33	9.76	10.0		
EP035G: Total Phenol by Discrete Analyse	r							
Phenols (Total)		0.05	mg/L	<0.05	<0.05	<0.05		