

# **CERTIFICATE OF ANALYSIS**

Work Order	EW1903601	Page	: 1 of 4	
Client	: WOLLONGONG CITY COUNCIL	Laboratory	: Environmental Division NS	SW South Coast
Contact	: DELLA KUTZNER	Contact	: Glenn Davies	
Address	: 41 BURELLI STREET	Address	: 1/19 Ralph Black Dr, North	NWollongong 2500
	WOLLONGONG NSW, AUSTRALIA 2500		4/13 Geary Pl, North Nowr Australia NSW Australia	a 2541
Telephone	: +61 02 4227 7111	Telephone	: 02 42253125	
Project	: Helensburgh Groundwater Quarterly	Date Samples Received	: 20-Aug-2019 16:00	ANULUI.
Order number	: 1005960	Date Analysis Commenced	: 20-Aug-2019	
C-O-C number	:	Issue Date	: 26-Aug-2019 14:19	
Sampler	: Robert DaLio			HAC-MRA NATA
Site	:			
Quote number	: WO/005/18 TENDER			Accreditation No. 825
No. of samples received	: 8			Accredited for compliance with
No. of samples analysed	: 8			ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Celine Conceicao	Senior Spectroscopist	Sydney Inorganics, Smithfield, NSW
Dian Dao		Sydney Inorganics, Smithfield, NSW
Robert DaLio	Sampler	Laboratory - Wollongong, NSW



#### **General Comments**

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

ø = ALS is not NATA accredited for these tests.

~ = Indicates an estimated value.

- Sampling and sample data supplied by ALS Wollongong.
- Sampling completed as per EN/67.11 Groundwater Sampling.



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)		Clie	ent sample ID	BH1	BH4	BH5 GWMB5	BH6 GWMB6	LGMB1
	Client sampling date / time			20-Aug-2019 11:50	20-Aug-2019 09:50	20-Aug-2019 12:10	20-Aug-2019 09:30	20-Aug-2019 12:30
Compound	CAS Number	LOR	Unit	EW1903601-001	EW1903601-002	EW1903601-003	EW1903601-004	EW1903601-005
				Result	Result	Result	Result	Result
EA005FD: Field pH								
рН		0.1	pH Unit	5.4	5.5	4.7	6.9	5.3
EA015: Total Dissolved Solids dried a	t 180 ± 5 °C							
Total Dissolved Solids @180°C		1	mg/L	498	311	98	399	138
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	<1	<1	<1	<1
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	<1	<1	<1	<1
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	10	42	2	230	17
Total Alkalinity as CaCO3		1	mg/L	10	42	2	230	17
ED041G: Sulfate (Turbidimetric) as SC	04 2- by DA							
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	118	107	21	13	68
ED045G: Chloride by Discrete Analyse	er							
Chloride	16887-00-6	1	mg/L	170	86	42	23	19
ED093T: Total Major Cations								
Calcium	7440-70-2	1	mg/L	25	1	5	60	9
Magnesium	7439-95-4	1	mg/L	24	6	5	37	8
Sodium	7440-23-5	1	mg/L	91	96	26	22	26
Potassium	7440-09-7	1	mg/L	<1	2	2	5	1
EK055G: Ammonia as N by Discrete A	nalyser							
Ammonia as N	7664-41-7	0.01	mg/L	0.14	0.05	<0.01	<0.01	<0.01
EP005: Total Organic Carbon (TOC)								
Total Organic Carbon		1	mg/L	4	4	<1	9	2
FWI-EN/001: Groundwater Sampling -	Depth							
Depth		0.01	m	4.70	6.35	5.10	4.17	3.02



## Analytical Results

Sub-Matrix: WATER (Matrix: WATER)	Client sample ID			LGMB2	LGMB3	LGMB4		
	Client sampling date / time			20-Aug-2019 11:40	20-Aug-2019 11:05	20-Aug-2019 11:20		
Compound	CAS Number	LOR	Unit	EW1903601-006	EW1903601-007	EW1903601-008		
				Result	Result	Result		
EA005FD: Field pH								
рН		0.1	pH Unit	5.4	5.3	5.1		
EA015: Total Dissolved Solids dried at	180 ± 5 °C							
Total Dissolved Solids @180°C		1	mg/L	166	79	159		
ED037P: Alkalinity by PC Titrator								
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	<1	<1		
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	<1	<1		
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	15	10	4		
Total Alkalinity as CaCO3		1	mg/L	15	10	4		
ED041G: Sulfate (Turbidimetric) as SO4 2- by DA								
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	31	21	48		
ED045G: Chloride by Discrete Analyser	r							
Chloride	16887-00-6	1	mg/L	14	18	17		
ED093T: Total Major Cations								
Calcium	7440-70-2	1	mg/L	17	8	12		
Magnesium	7439-95-4	1	mg/L	8	4	5		
Sodium	7440-23-5	1	mg/L	10	12	10		
Potassium	7440-09-7	1	mg/L	6	4	27		
EK055G: Ammonia as N by Discrete Analyser								
Ammonia as N	7664-41-7	0.01	mg/L	0.02	0.28	<0.01		
EP005: Total Organic Carbon (TOC)								
Total Organic Carbon		1	mg/L	9	1	3		
FWI-EN/001: Groundwater Sampling - D	Depth							
Depth		0.01	m	4.30	4.13	4.59		