

CERTIFICATE OF ANALYSIS

Work Order : **EW2003846** Page : 1 of 4

WOLLONGONG NSW, AUSTRALIA 2500

Client : WOLLONGONG CITY COUNCIL Laboratory : Environmental Division NSW South Coast

Contact : DELLA KUTZNER Contact : Glenn Davies

Address : 41 BURELLI STREET Address : 1/19 Ralph Black Dr, North Wollongong 2500

4/13 Geary Pl, North Nowra 2541

Australia NSW Australia

Telephone : +61 02 4227 7111 Telephone : 02 42253125

Project : Whytes Gully Storm Water Overflow Date Samples Received : 24-Aug-2020 14:49

Order number : 1021509 Date Analysis Commenced : 24-Aug-2020

C-O-C number : ---- Issue Date : 28-Aug-2020 16:01

Sampler : Robert DaLio

Site : ----

Quote number : WO/005/18 TENDER

No. of samples received : 3
No. of samples analysed : 3

Accreditation No. 825
Accredited for compliance with ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Ankit Joshi	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Ashesh Patel	Senior Chemist	Sydney Inorganics, Smithfield, NSW
Glenn Davies	Environmental Services Representative	Laboratory - Wollongong, NSW
Ivan Taylor	Analyst	Sydney Inorganics, Smithfield, NSW

Page : 2 of 4

Work Order : EW2003846

Client : WOLLONGONG CITY COUNCIL
Project : Whytes Gully Storm Water Overflow



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

- ^ = This result is computed from individual analyte detections at or above the level of reporting
- ø = ALS is not NATA accredited for these tests.
- ~ = Indicates an estimated value.
- Analytical work for this work order will be conducted at ALS Sydney.
- pH performed by ALS Wollongong via in-house method EA005FD and EN67 PK.
- Electrical conductivity performed by ALS Wollongong via in-house method EA010FD and EN67 PK.
- Sampling completed by ALS Wollongong in accordace with in-house sampling method EN/67.6 Rivers and Streams.
- Temperature performed by ALS Wollongong via in-house method EA016 and EN67 PK.
- Dissolved oxygen (DO) performed by ALS Wollongong via in-house method EA025FD and EN67 PK.
- All field analysis performed by ALS Wollongong were completed at the time of sampling.

Page : 3 of 4
Work Order : EW2003846

Client : WOLLONGONG CITY COUNCIL
Project : Whytes Gully Storm Water Overflow



Analytical Results

Clear Clea	Sub-Matrix: WATER (Matrix: WATER)			ent sample ID	Point 1 (Point 1)	Point 4 (Point 33)	Point 6 (Point 34)		
Result R				_	-	-			
EADSFD: Field pH	Compound	CAS Number	LOR	Unit					
Ph					Result	Result	Result		
Electrical Conductivity (Non			2.1	1111 2	<u> </u>				I
Electrical Conductivity None	·		0.1	pH Unit	7.3	7.1	7.4		
Componisated Section	EA010FD: Field Conductivity								
Parameter Para			1	μS/cm	548	432	465		
Suppended Solics (SS)									
EA116: Temperature		at 104 ± 2°C							
Tomograture	Suspended Solids (SS)		5	mg/L	10	<5	<5		
ED037P; Alkalinity by PC Titrator	EA116: Temperature								
Hydroxide Alkalinity as CaCO3	Temperature		0.1	°C	12.7	11.9	13.9		
Hydroxide Alkalinity as CaCO3	ED037P: Alkalinity by PC Titrator								
Bicarbonate Alkalinity as CaCO3		DMO-210-001	1	mg/L	<1	<1	<1		
Total Alkalinity as CaCO3	Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	<1	<1		
ED041G: Sulfate (Turbidimetric) as SO4 2- by DA Sulfate as SO4 - Turbidimetric 14808-798 1 mg/L 22 23 30	Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	196	128	140		
Sulfate as SO4 - Turbidimetric 14808-79-8 1 mg/L 22 23 30	Total Alkalinity as CaCO3		1	mg/L	196	128	140		
Sulfate as SO4 - Turbidimetric 14808-79-8 1 mg/L 22 23 30	ED041G: Sulfate (Turbidimetric) as SC	04 2- by DA							
Chloride 16887-00-6 1 mg/L 46 42 47	· · · · · · · · · · · · · · · · · · ·		1	mg/L	22	23	30		
Chloride 16887-00-6 1 mg/L 46 42 47	FD045G: Chloride by Discrete Analysi	er							
Calcium			1	mg/L	46	42	47		
Calcium 7440-70-2 1 mg/L 36 34 37 Magnesium 7439-95-4 1 mg/L 15 16 17 Sodium 7440-23-5 1 mg/L 50 38 31 Potassium 7440-09-7 1 mg/L 8 4 3 EG020F: Dissolved Metals by ICP-MS Image: Metals by ICP-MS Iron 7439-89-8 0.05 mg/L 0.08 0.31 0.06 EK040P: Fluoride by PC Titrator Fluoride by PC Titrator 16984-48-8 0.1 mg/L 0.3 0.2 0.1 EK055G: Ammonia as N by Discrete Analyser Fluoride by PC Titrator	ED093T: Total Major Cations								
Magnesium 7439-95-4 1 mg/L 15 16 17	-	7440-70-2	1	ma/l	36	34	37		
Sodium 7440-23-5 1 mg/L 50 38 31 Potassium 7440-09-7 1 mg/L 8 4 3 EG020F: Dissolved Metals by ICP-MS Iron 7439-89-6 0.05 mg/L 0.08 0.31 0.06 EK040P: Fluoride by PC Titrator Fluoride 16984-48-8 0.1 mg/L 0.3 0.2 0.1 EK055G: Ammonia as N by Discrete Analyser Ammonia as N by Discrete Analyser Nitrite as N by Discrete Analyser Nitrite as N by Discrete Analyser Nitrate as N by Discrete Analyser Nitrate as N by Discrete Analyser				-					
Potassium 7440-09-7 1 mg/L 8 4 3				- u	· ·				
February Fluoride by PC Titrator Fluoride by PC Titrator Fluoride F				-					
Iron 7439-89-6 0.05 mg/L 0.08 0.31 0.06 EK040P: Fluoride by PC Titrator Fluoride 16984-48-8 0.1 mg/L 0.3 0.2 0.1 EK055G: Ammonia as N by Discrete Analyser Ammonia as N 7664-41-7 0.01 mg/L 2.11 0.26 <0.01 EK057G: Nitrite as N by Discrete Analyser Nitrite as N 14797-65-0 0.01 mg/L 0.06 0.04 0.02 EK058G: Nitrate as N by Discrete Analyser Nitrate as N 14797-55-8 0.01 mg/L 0.12 0.15 0.05				3. –	-				
EK040P: Fluoride by PC Titrator 16984-48-8 0.1 mg/L 0.3 0.2 0.1			0.05	ma/l	0.08	0.31	0.06		
Fluoride 16984-48-8 0.1 mg/L 0.3 0.2 0.1 EK055G: Ammonia as N by Discrete Analyser Ammonia as N 7664-41-7 0.01 mg/L 2.11 0.26 <0.01		7439-09-0	0.00	mg/L	V.VV	V.V I	0.00		
EK055G: Ammonia as N by Discrete Analyser Ammonia as N		40004 10 0	0.1	ma/l	0.2	0.2	0.4	l	I
Ammonia as N 7664-41-7 0.01 mg/L 2.11 0.26 <0.01 EK057G: Nitrite as N by Discrete Analyser Nitrite as N 14797-65-0 0.01 mg/L 0.06 0.04 0.02 EK058G: Nitrate as N by Discrete Analyser Nitrate as N 14797-55-8 0.01 mg/L 0.12 0.15 0.05			0.1	IIIg/L	U.3	U.Z	U.1		
EK057G: Nitrite as N by Discrete Analyser Nitrite as N 14797-65-0 0.01 mg/L 0.06 0.04 0.02 EK058G: Nitrate as N by Discrete Analyser Nitrate as N 14797-55-8 0.01 mg/L 0.12 0.15 0.05			0.61				.0.01		
Nitrite as N 14797-65-0 0.01 mg/L 0.06 0.04 0.02 EK058G: Nitrate as N by Discrete Analyser Nitrate as N 14797-55-8 0.01 mg/L 0.12 0.15 0.05			0.01	mg/L	2.11	0.26	<0.01		
EK058G: Nitrate as N by Discrete Analyser Nitrate as N 14797-55-8 0.01 mg/L 0.12 0.15 0.05									
Nitrate as N 14797-55-8 0.01 mg/L 0.12 0.15 0.05	Nitrite as N	14797-65-0	0.01	mg/L	0.06	0.04	0.02		
11101 00 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1	EK058G: Nitrate as N by Discrete Ana	alyser							
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser			0.01	mg/L	0.12	0.15	0.05		
	EK059G: Nitrite plus Nitrate as N (NO	x) by Discrete Ana	lyser						

Page : 4 of 4
Work Order : EW2003846

Client : WOLLONGONG CITY COUNCIL
Project : Whytes Gully Storm Water Overflow



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)		Clie	ent sample ID	Point 1 (Point 1)	Point 4 (Point 33)	Point 6 (Point 34)		
	Cli	ent sampli	ng date / time	24-Aug-2020 14:05	24-Aug-2020 14:15	24-Aug-2020 13:50		
Compound	CAS Number	LOR	Unit	EW2003846-001	EW2003846-002	EW2003846-003		
				Result	Result	Result		
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser - Continued								
Nitrite + Nitrate as N		0.01	mg/L	0.18	0.19	0.07		
EP005: Total Organic Carbon (TOC)								
Total Organic Carbon		1	mg/L	20	6	2		
EP025FD: Field Dissolved Oxygen								
Dissolved Oxygen		0.01	mg/L	6.57	8.68	9.64		
EP035G: Total Phenol by Discrete Analys	ser							
Phenols (Total)		0.05	mg/L	<0.05	<0.05	<0.05		