

CERTIFICATE OF ANALYSIS

Work Order : **EW2000667** Page : 1 of 4

Client : WOLLONGONG CITY COUNCIL Laboratory : Environmental Division NSW South Coast

Contact : DELLA KUTZNER Contact : Glenn Davies

Address : 41 BURELLI STREET Address : 1/19 Ralph Black Dr, North Wollongong 2500

4/13 Geary PI, North Nowra 2541

· 17-Feb-2020 16:26

Australia NSW Australia

Telephone : +61 02 4227 7111 Telephone : 02 42253125

Project : Whytes Gully Storm Water Overflow Date Samples Received : 11-Feb-2020 10:24

Order number : 1011047 Date Analysis Commenced : 11-Feb-2020

C-O-C number : ---- Issue Date
Sampler : ----

WOLLONGONG NSW, AUSTRALIA 2500

Quote number : WO/005/18 TENDER

No. of samples received : 3
No. of samples analysed : 3

Accreditation No. 825
Accredited for compliance with ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

Site

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories Position Accreditation Category

Ankit Joshi Inorganic Chemist Sydney Inorganics, Smithfield, NSW Celine Conceicao Senior Spectroscopist Sydney Inorganics, Smithfield, NSW Glenn Davies Environmental Services Representative Laboratory - Wollongong, NSW

Page : 2 of 4
Work Order : EW2000667

Client : WOLLONGONG CITY COUNCIL
Project : Whytes Gully Storm Water Overflow



General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

- ^ = This result is computed from individual analyte detections at or above the level of reporting
- ø = ALS is not NATA accredited for these tests.
- ~ = Indicates an estimated value.
- Analytical work for this work order will be conducted at ALS Sydney.

Page : 3 of 4
Work Order : EW2000667

Client : WOLLONGONG CITY COUNCIL
Project : Whytes Gully Storm Water Overflow



Analytical Results

| Sub-Matrix: WATER (Matrix: WATER) | Client sample ID | | | Point 1 (Point 1) | Point 4 (Point 33) | Point 6 (Point 34) | | |
|---|------------------|------|---------|----------------------|-----------------------|-----------------------|---|-----|
| | | | | 11-Feb-2020 08:01 | 11-Feb-2020 07:53 | 11-Feb-2020 07:30 | | |
| Compound | CAS Number | LOR | Unit | EW2000667-001 | EW2000667-002 | EW2000667-003 | | |
| | | | | Result | Result | Result | | |
| EA005FD: Field pH | | | | | | | I | ı |
| pH | | 0.1 | pH Unit | 7.2 | 7.2 | 7.4 | | |
| EA010FD: Field Conductivity | | | | | | | | |
| Electrical Conductivity (Non | | 1 | μS/cm | 435 | 325 | 283 | | |
| Compensated) | | | | | | | | |
| EA025: Total Suspended Solids dried | at 104 ± 2°C | | | | | | | |
| Suspended Solids (SS) | | 5 | mg/L | 118 | <5 | 15 | | |
| EA075FD: Field Redox Potential | | | | | | | | |
| Redox Potential | | 0.1 | mV | 88.2 | 88.7 | 92.1 | | |
| EA116: Temperature | | | | | | | | |
| Temperature | | 0.1 | °C | 22.8 | 20.4 | 21.4 | | |
| ED037P: Alkalinity by PC Titrator | | | | | | | | |
| Hydroxide Alkalinity as CaCO3 | DMO-210-001 | 1 | mg/L | <1 | <1 | <1 | | |
| Carbonate Alkalinity as CaCO3 | 3812-32-6 | 1 | mg/L | <1 | <1 | <1 | | |
| Bicarbonate Alkalinity as CaCO3 | 71-52-3 | 1 | mg/L | 120 | 58 | 46 | | |
| Total Alkalinity as CaCO3 | | 1 | mg/L | 120 | 58 | 46 | | |
| ED041G: Sulfate (Turbidimetric) as SC | 04 2- by DA | | | | | | | |
| Sulfate as SO4 - Turbidimetric | 14808-79-8 | 1 | mg/L | 32 | 27 | 25 | | |
| ED045G: Chloride by Discrete Analyse | er | | | | | | | |
| Chloride | 16887-00-6 | 1 | mg/L | 40 | 41 | 34 | | |
| ED093T: Total Major Cations | | | - | | | | | |
| Calcium | 7440-70-2 | 1 | mg/L | 28 | 22 | 18 | | |
| Magnesium | 7439-95-4 | 1 | mg/L | 12 | 10 | 8 | | |
| Sodium | 7440-23-5 | 1 | mg/L | 39 | 24 | 23 | | |
| Potassium | 7440-09-7 | 1 | mg/L | 8 | 4 | 4 | | |
| EG020F: Dissolved Metals by ICP-MS | | | | | | | | 1 |
| Iron | 7439-89-6 | 0.05 | mg/L | 0.12 | 0.15 | 0.26 | | |
| EK040P: Fluoride by PC Titrator | 1 400 00-0 | | J | | | | | l . |
| Fluoride Fluoride | 16984-48-8 | 0.1 | mg/L | 0.2 | 0.1 | 0.1 | | |
| | | V. 1 | mg/L | V. <u>L</u> | V.1 | V. I | | |
| EK055G: Ammonia as N by Discrete A Ammonia as N | | 0.01 | mg/L | 2.22 | 0.01 | 0.20 | I | I |
| | 7664-41-7 | 0.01 | IIIg/L | 2.22 | 0.01 | 0.20 | | |
| EK057G: Nitrite as N by Discrete Anal | | 0.64 | | 10.04 | .0.01 | | | |
| Nitrite as N | 14797-65-0 | 0.01 | mg/L | <0.01 | <0.01 | 0.02 | | |
| EK058G: Nitrate as N by Discrete Ana | lyser | | | | | | | |

Page : 4 of 4
Work Order : EW2000667

Client : WOLLONGONG CITY COUNCIL
Project : Whytes Gully Storm Water Overflow



Analytical Results

| Sub-Matrix: WATER (Matrix: WATER) | Client sample ID | | | Point 1 (Point 1) | Point 4 (Point 33) | Point 6 (Point 34) | |
|---|-----------------------------|-------|------|----------------------|-----------------------|-----------------------|------|
| | Client sampling date / time | | | 11-Feb-2020 08:01 | 11-Feb-2020 07:53 | 11-Feb-2020 07:30 | |
| Compound | CAS Number | LOR | Unit | EW2000667-001 | EW2000667-002 | EW2000667-003 | |
| | | | | Result | Result | Result | |
| EK058G: Nitrate as N by Discrete Analys | ser - Continued | | | | | | |
| Nitrate as N | 14797-55-8 | 0.01 | mg/L | 0.28 | 1.47 | 1.23 | |
| EK059G: Nitrite plus Nitrate as N (NOx) | by Discrete Ana | lyser | | | | | |
| Nitrite + Nitrate as N | | 0.01 | mg/L | 0.28 | 1.47 | 1.25 | |
| EP005: Total Organic Carbon (TOC) | | | | | | | |
| Total Organic Carbon | | 1 | mg/L | 13 | 3 | 4 | |
| EP025FD: Field Dissolved Oxygen | | | | | | | |
| Dissolved Oxygen | | 0.01 | mg/L | 7.32 | 8.76 | 9.07 | |
| EP030: Biochemical Oxygen Demand (B | OD) | | | | | | |
| Biochemical Oxygen Demand | | 2 | mg/L | 9 | <2 | <2 | |
| EP035SF: Total Phenol by Segmented Fl | low Analyser | | | | | | |
| Phenols (Total) | | 0.05 | mg/L | <0.05 | <0.05 | <0.05 | |