

CERTIFICATE OF ANALYSIS

Work Order	: EW2000961	Page	: 1 of 4	
Client	: WOLLONGONG CITY COUNCIL	Laboratory	: Environmental Division NS	SW South Coast
Contact	: Waste Environmental	Contact	: Glenn Davies	
Address	: 41 BURELLI STREET	Address	: 1/19 Ralph Black Dr, North	n Wollongong 2500
	WOLLONGONG NSW, AUSTRALIA 2500		4/13 Geary Pl, North Nowr Australia NSW Australia	ra 2541
Telephone	:	Telephone	: 02 42253125	
Project	: Whytes Gully Storm Water Ponds	Date Samples Received	: 24-Feb-2020 14:05	SWIIII.
Order number	: 1011047	Date Analysis Commenced	: 22-Feb-2020	
C-O-C number	:	Issue Date	: 02-Mar-2020 12:30	NATA
Sampler	: Glenn Davies			HAC-MRA NATA
Site	:			
Quote number	: WO/005/18 TENDER			Accreditation No. 825
No. of samples received	: 3			Accredited for compliance with
No. of samples analysed	: 3			ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Ankit Joshi	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Glenn Davies	Environmental Services Representative	Laboratory - Wollongong, NSW
Ivan Taylor	Analyst	Sydney Inorganics, Smithfield, NSW



General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

ø = ALS is not NATA accredited for these tests.

~ = Indicates an estimated value.

- Analytical work for this work order will be conducted at ALS Sydney.
- Sampling and sample data supplied by ALS Wollongong.
- Sampling completed as per EN/67.6 Rivers and Streams
- Sampling Completed as per EN/67.4 Lakes and Reservoirs



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)		Clie	ent sample ID	Point 1 (Point 1)	Point 4 (Point 33)	Point 6 (Point 34)	
	Client sampling date / time			22-Feb-2020 12:38	22-Feb-2020 12:26	22-Feb-2020 12:06	
Compound	CAS Number	LOR	Unit	EW2000961-001	EW2000961-002	EW2000961-003	
				Result	Result	Result	
A005FD: Field pH							
рН		0.1	pH Unit	6.8	6.6	6.6	
A010FD: Field Conductivity							
Electrical Conductivity (Non Compensated)		1	μS/cm	643	399	358	
A025: Total Suspended Solids dried	at 104 ± 2°C						
Suspended Solids (SS)		5	mg/L	13	<5	<5	
A075FD: Field Redox Potential							
Redox Potential		0.1	mV	40.0	136	126	
EA116: Temperature							
Temperature		0.1	°C	22.8	20.8	22.5	
ED037P: Alkalinity by PC Titrator							
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	<1	<1	
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	<1	<1	
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	233	113	92	
Total Alkalinity as CaCO3		1	mg/L	233	113	92	
ED041G: Sulfate (Turbidimetric) as S	O4 2- by DA						
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	29	31	43	
ED045G: Chloride by Discrete Analys	er						
Chloride	16887-00-6	1	mg/L	66	50	43	
ED093T: Total Major Cations							
Calcium	7440-70-2	1	mg/L	43	29	24	
Magnesium	7439-95-4	1	mg/L	18	14	10	
Sodium	7440-23-5	1	mg/L	62	34	32	
Potassium	7440-09-7	1	mg/L	14	4	5	
EG020F: Dissolved Metals by ICP-MS							
Iron	7439-89-6	0.05	mg/L	1.22	0.09	0.46	
EK040P: Fluoride by PC Titrator							
Fluoride	16984-48-8	0.1	mg/L	0.4	0.2	0.1	
K055G: Ammonia as N by Discrete A	Analyser						
Ammonia as N	7664-41-7	0.01	mg/L	2.25	<0.01	0.07	
EK057G: Nitrite as N by Discrete Ana	llyser						
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	0.02	
EK058G: Nitrate as N by Discrete Ana							



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)	Ch		ent sample ID ng date / time	Point 1 (Point 1) 22-Feb-2020 12:38	Point 4 (Point 33) 22-Feb-2020 12:26	Point 6 (Point 34) 22-Feb-2020 12:06	
Compound	CAS Number	LOR	Unit	EW2000961-001	EW2000961-002	EW2000961-003	
				Result	Result	Result	
EK058G: Nitrate as N by Discrete Ana	alyser - Continued						
Nitrate as N	14797-55-8	0.01	mg/L	<0.01	0.08	0.10	
EK059G: Nitrite plus Nitrate as N (NC	() Dx) by Discrete Ana	lyser					
Nitrite + Nitrate as N		0.01	mg/L	<0.01	0.08	0.12	
EP005: Total Organic Carbon (TOC)							
Total Organic Carbon		1	mg/L	28	4	6	
EP025FD: Field Dissolved Oxygen							
Dissolved Oxygen		0.01	mg/L	3.03	8.74	7.11	
EP030: Biochemical Oxygen Demand	(BOD)						
Biochemical Oxygen Demand		2	mg/L	10	<2	<2	
EP035SF: Total Phenol by Segmented	d Flow Analyser						
Phenols (Total)		0.05	mg/L	<0.05	<0.05	<0.05	