

CERTIFICATE OF ANALYSIS

Work Order : **EW2000883** Page : 1 of 4

WOLLONGONG NSW, AUSTRALIA 2500

Client : WOLLONGONG CITY COUNCIL Laboratory : Environmental Division NSW South Coast

Contact : Waste Environmental Contact : Glenn Davies

Address : 41 BURELLI STREET Address : 1/19 Ralph Black Dr, North Wollongong 2500

4/13 Geary PI, North Nowra 2541 Australia NSW Australia

Telephone : ---- Telephone : 02 42253125

Project : Whytes Gully Storm Water Ponds Date Samples Received : 19-Feb-2020 14:41

Order number : 1011047 Date Analysis Commenced : 19-Feb-2020

C-O-C number : ---- Issue Date : 25-Feb-2020 10:50

Sampler : Glenn Davies

Site : ----

Quote number : WO/005/18 TENDER

No. of samples received : 3
No. of samples analysed : 3

Accreditation No. 825
Accredited for compliance with ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories Position Accreditation Category

Ankit Joshi Inorganic Chemist Sydney Inorganics, Smithfield, NSW

Glenn Davies Environmental Services Representative Laboratory - Wollongong, NSW

Ivan Taylor Analyst Sydney Inorganics, Smithfield, NSW

Page : 2 of 4
Work Order : EW2000883

Client : WOLLONGONG CITY COUNCIL
Project : Whytes Gully Storm Water Ponds



General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

- ^ = This result is computed from individual analyte detections at or above the level of reporting
- ø = ALS is not NATA accredited for these tests.
- ~ = Indicates an estimated value.
- Analytical work for this work order will be conducted at ALS Sydney.
- Sampling completed as per EN/67.11 Groundwater Sampling.
- Sampling completed as per EN/67.6 Rivers and Streams
- Sampling Completed as per EN/67.4 Lakes and Reservoirs

Page : 3 of 4
Work Order : EW2000883

Client : WOLLONGONG CITY COUNCIL
Project : Whytes Gully Storm Water Ponds



Analytical Results

Chemical Carlo Sample Carlo Sample Carlo Carlo Sample Carlo Carlo Sample Carlo Carlo	Sub-Matrix: WATER (Matrix: WATER)	Client sample ID			Point 1 (Point 1)	Point 4 (Point 33)	Point 6 (Point 34)	
Result R		Cli	Client sampling date / time			19-Feb-2020 09:35	19-Feb-2020 09:20	
EAUSEFD: Field pH	Compound	CAS Number	LOR	Unit	EW2000883-001	EW2000883-002	EW2000883-003	
PM					Result	Result	Result	
Electrical Conductivity (Non	EA005FD: Field pH							
Electrical Conductivity (Non	рН		0.1	pH Unit	7.0	6.7	6.6	
Compensated	EA010FD: Field Conductivity							
Suspended Solide (SS) 5 mg/L 22 6 6			1	μS/cm	582	310	526	
Supported Solide (SS)	EA025: Total Suspended Solids dried	at 104 ± 2°C						
Reduce Note Note Name	-		5	mg/L	22	6	6	
Redox Potential	EA075FD: Field Redox Potential							
Temperature			0.1	mV	147	143	157	
Temperature	EA116: Temperature							
Hydroxide Alkalinity as CaCO3	<u> </u>		0.1	°C	22.9	19.5	22.9	
Hydroxide Alkalinity as CaCO3	FD037P: Alkalinity by PC Titrator							
Carbonate Alkalinity as CaCO3		DMO-210-001	1	mg/L	<1	<1	<1	
Bicarbonate Alkalinity as CaCO3			1	-	<1	<1	<1	
Total Alkalinity as CaCO3			1	mg/L	193	68	170	
Sulfate as SQ4 - Turbidimetric 14808-79-8 1 mg/L 27 19 28 ED045G: Chloride by Discrete Analyser Chloride 16887-00-8 1 mg/L 53 41 48 ED093T: Total Major Cattions Calcium 7440-70-2 1 mg/L 36 19 33 Sodium 7439-95-4 1 mg/L 16 8 14 Sodium 7440-09-7 1 mg/L 51 22 46 Sodium 7440-09-7 1 mg/L 10 3 8 Potassium 7440-09-7 1 mg/L 0.48 0.15 0.56 EE020F: Dissolved Metals by ICP-MS Iron 7439-89-8 0.1 mg/L 0.3 0.1 0.3			1	mg/L	193	68	170	
Sulfate as SQ4 - Turbidimetric 14808-79-8 1 mg/L 27 19 28 ED045G: Chloride by Discrete Analyser Chloride 16887-00-8 1 mg/L 53 41 48 ED093T: Total Major Cattions Calcium 7440-70-2 1 mg/L 36 19 33 Sodium 7439-95-4 1 mg/L 16 8 14 Sodium 7440-09-7 1 mg/L 51 22 46 Sodium 7440-09-7 1 mg/L 10 3 8 Potassium 7440-09-7 1 mg/L 0.48 0.15 0.56 EE020F: Dissolved Metals by ICP-MS Iron 7439-89-8 0.1 mg/L 0.3 0.1 0.3	ED041G: Sulfate (Turbidimetric) as SC	04 2- by DA						
Chloride 16887-00-6 1 mg/L 53 41 48			1	mg/L	27	19	28	
Chloride	ED045G: Chloride by Discrete Analyse	er						
Calcium 7440-70-2 1 mg/L 36 19 33 Magnesium 7439-95-4 1 mg/L 16 8 14 Sodium 7440-23-5 1 mg/L 51 22 46 Potassium 7440-09-7 1 mg/L 10 3 8 EG020F: Dissolved Metals by ICP-MS Iron 7439-89-6 0.05 mg/L 0.48 0.15 0.56 EK040P: Fluoride by PC Titrator Fluoride 1698-48-8 0.1 mg/L 0.3 0.1 0.3 EK055G: Ammonia as N by Discrete Analyser mg/L 2.21 0.03 1.34 EK057G: Nitrite as N by Discrete Analyser Nitrite as N 14797-65-0 0.01 mg/L <0.01 <0.01 <0.01 <0.01			1	mg/L	53	41	48	
Calcium 7440-70-2 1 mg/L 36 19 33 Magnesium 7439-95-4 1 mg/L 16 8 14 Sodium 7440-23-5 1 mg/L 51 22 46 Potassium 7440-09-7 1 mg/L 10 3 8 EG020F: Dissolved Metals by ICP-MS Iron 7439-89-6 0.05 mg/L 0.48 0.15 0.56 EK040P: Fluoride by PC Titrator Fluoride 1698-48-8 0.1 mg/L 0.3 0.1 0.3 EK055G: Ammonia as N by Discrete Analyser mg/L 2.21 0.03 1.34 EK057G: Nitrite as N by Discrete Analyser Nitrite as N 14797-65-0 0.01 mg/L <0.01 <0.01 <0.01 <0.01	FD093T: Total Major Cations							
Magnesium 7439-95-4 1 mg/L 16 8 14 Sodium 7440-23-5 1 mg/L 51 22 46 Potassium 7440-09-7 1 mg/L 10 3 8 EG020F: Dissolved Metals by ICP-MS Iron 7439-89-6 0.05 mg/L 0.48 0.15 0.56 EK040P: Fluoride by PC Titrator Fluoride 16984-48-8 0.1 mg/L 0.3 0.1 0.3 EK055G: Ammonia as N by Discrete Analyser Ammonia as N 7664-41-7 0.01 mg/L 2.21 0.03 1.34 EK057G: Nitrite as N by Discrete Analyser Nitrite as N 14797-65-0 0.01 mg/L <0.01 <0.01 <0.01 <0.01		7440-70-2	1	mg/L	36	19	33	
Sodium 7440-23-5 1 mg/L 51 22 46 Potassium 7440-09-7 1 mg/L 10 3 8 EG020F: Dissolved Metals by ICP-MS Iron 7439-89-6 0.05 mg/L 0.48 0.15 0.56 EK040P: Fluoride by PC Titrator Fluoride 16984-48-8 0.1 mg/L 0.3 0.1 0.3 EK055G: Ammonia as N by Discrete Analyser Ammonia as N 7664-41-7 0.01 mg/L 2.21 0.03 1.34 EK057G: Nitrite as N by Discrete Analyser Nitrite as N 14797-65-0 0.01 mg/L <0.01 <0.01 <0.01 <0.01	Magnesium		1	mg/L	16	8	14	
Potassium			1		51	22	46	
FG020F: Dissolved Metals by ICP-MS	Potassium		1	mg/L	10	3	8	
Iron 7439-89-6 0.05 mg/L 0.48 0.15 0.56 EK040P: Fluoride by PC Titrator Fluoride 16984-48-8 0.1 mg/L 0.3 0.1 0.3 EK055G: Ammonia as N by Discrete Analyser Ammonia as N 7664-41-7 0.01 mg/L 2.21 0.03 1.34 EK057G: Nitrite as N by Discrete Analyser Nitrite as N 14797-65-0 0.01 mg/L <0.01	EG020F: Dissolved Metals by ICP-MS							
EK040P: Fluoride by PC Titrator Fluoride 16984-48-8 0.1 mg/L 0.3 0.1 0.3 EK055G: Ammonia as N by Discrete Analyser Ammonia as N 7664-41-7 0.01 mg/L 2.21 0.03 1.34 EK057G: Nitrite as N by Discrete Analyser Nitrite as N 14797-65-0 0.01 mg/L <0.01 <0.01 <0.01		7439-89-6	0.05	mg/L	0.48	0.15	0.56	
Fluoride 16984-48-8 0.1 mg/L 0.3 0.1 0.3 EK055G: Ammonia as N by Discrete Analyser Ammonia as N 7664-41-7 0.01 mg/L 2.21 0.03 1.34 EK057G: Nitrite as N by Discrete Analyser Nitrite as N 14797-65-0 0.01 mg/L <0.01	EK040P: Fluoride by PC Titrator							
EK055G: Ammonia as N by Discrete Analyser Ammonia as N 7664-41-7 0.01 mg/L 2.21 0.03 1.34 EK057G: Nitrite as N by Discrete Analyser Nitrite as N 14797-65-0 0.01 mg/L <0.01		16984-48-8	0.1	mg/L	0.3	0.1	0.3	
Ammonia as N 7664-41-7 0.01 mg/L 2.21 0.03 1.34 EK057G: Nitrite as N by Discrete Analyser Nitrite as N 14797-65-0 0.01 mg/L <0.01								
EK057G: Nitrite as N by Discrete Analyser Nitrite as N 14797-65-0 0.01 mg/L <0.01 <0.01 <0.01			0.01	mg/L	2.21	0.03	1.34	
Nitrite as N 14797-65-0 0.01 mg/L <0.01 <0.01 <0.01				, ,				
Therefore I are the second of		_	0.01	mg/L	<0.01	<0.01	<0.01	
			0.01	mg/ L	-0.01	.0.01	-0.01	

Page : 4 of 4
Work Order : EW2000883

Client : WOLLONGONG CITY COUNCIL
Project : Whytes Gully Storm Water Ponds



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)		Clie	ent sample ID	Point 1 (Point 1)	Point 4 (Point 33)	Point 6 (Point 34)	
	Client sampling date / time			19-Feb-2020 09:40	19-Feb-2020 09:35	19-Feb-2020 09:20	
Compound	CAS Number	LOR	Unit	EW2000883-001	EW2000883-002	EW2000883-003	
				Result	Result	Result	
EK058G: Nitrate as N by Discrete Analy	ser - Continued						
Nitrate as N	14797-55-8	0.01	mg/L	0.01	0.60	<0.01	
EK059G: Nitrite plus Nitrate as N (NOx)	by Discrete Ana	lyser					
Nitrite + Nitrate as N		0.01	mg/L	0.01	0.60	<0.01	
EP005: Total Organic Carbon (TOC)							
Total Organic Carbon		1	mg/L	31	7	23	
EP025FD: Field Dissolved Oxygen							
Dissolved Oxygen		0.01	mg/L	0.68	8.13	3.26	
EP030: Biochemical Oxygen Demand (E	BOD)						
Biochemical Oxygen Demand		2	mg/L	16	2	6	
EP035SF: Total Phenol by Segmented F	low Analyser						
Phenols (Total)		0.05	mg/L	<0.05	<0.05	<0.05	